Safety and Maintenance checks at the playing fields.

Defibrillator at Pavilion	Code to open:	C159X
1. Check defibrillator case is not broken or tampered with.		
2. Open case and check pads:	Not opened, not expired.	
3. Check Green tick is showing		
4. Turn on defib, if it starts talk	ing it is fine.	
5. Replace in cabinet.	_	
DOES ANY ACTION N	EED TO BE TAKEN?	/ No.
(call Clerk 07487 261	611 / 01264 783593.)	•

Play Equipment	Weekly Check on all:	Pass / Issues?	Rectified?
ZipWire	1. Litter	OK OK	
Toddler Swings	2. Broken glass	OK /	
	3. Splinters		
Slide	4. Damage	OK /	
Junior Swings (inside	— 5. Graffiti	OK /	
fenced area)	6. Stability		/
Rockers	7. Foreign objects	(Issue	/ No
Picnic Table	8. Excessive wear / Tension	OK/	
	9. Rot/Decay.		

Exercise Equipment	Weekly Check	Pass / Issues?	Rectified?
Francisco continuo entre con	Litter / Rubbish	OK /	Yes / No
Exercise equipment area	Clean surfaces / wipe off graffiti (anti-graffiti wipes)	OK/	Yes / No
Facility Signage FIESTA AIR GEN FACULTY SAFETY NOTICE - This NOT Children's yelly requirement. - Howas well are languagement at the second of the second	Ensure it is still securely fastened to the post.	OK/	Yes / No
	Ensure there is no visible damage	OK/	Yes / No
	Ensure the details in the 'In case of emergency call 999' box are still current and complete.	OK/	Yes / No
	Check height indicator is still affixed to the post.	ОК /	Yes / No

	Any damage to equipment (please send photo)	OK/	Yes / No
Air Skier	If damage, is area safe for use? (call & email Clerk.)	OK/	Yes / No
	Check all paint work for scuffs and small scratches, repair using the touch up paint provided.	/ Issue	No
	Ensure the equipment is still secure in the ground fixing.	OK/	Yes / No
	Ensure there is a safety sign attached.	OK/	Yes / No
A	Ensure there is an equipment sign attached.	OK/	Yes / No
B	A. Check all the foot rest bolts are tightened properly. If the foot rest bolts require tightening, tighten them here using a 17mm socket (4 bolts per foot rest)	OK /	Yes / No
	B. If Impact Attenuating Edges require tightening, tighten here using the T30 tool provided in the Maintenance Kit (3 bolts per impact attenuating edge)	OK/	Yes / No
	C. Ensure the limiters are still intact and working.	OK/	Yes / No
	Any damage to equipment (please send photo)	OK	Yes / No
	If damage, is area safe for use? (call & email Clerk.)	OK / I	Yes / No
	Check all paint work for scuffs and small scratches, repair using the touch up paint provided.	/ Issue	No No
Combo pull down Chest	Ensure the equipment is still secure in the ground fixing.	OK/	Yes / No
Press	Ensure there is a safety sign attached.	OK /	Yes / No
B 8	Ensure there is an equipment sign attached.	OK/	Yes / No
A STATE OF THE STA	A. Check all the seat and back rest bolts are tightened properly, If the seat and back rest bolts require tightening, tighten them here using a 17mm socket (4 bolts per seat and back rest)	OK/	Yes / No
	B. Check all the link bar bolts are tightened properly, If the link bar bolts require tightening, tighten them here using a 17mm socket	OK /	Yes / No
	C. Ensure the limiters are still intact and working by making sure the cross bars under the seats are level to the ground when the equipment is at rest	OK /	Yes / No
	Any damage to equipment (please send photo)	OK	Yes / No
Disabled Arm and Pedal	If damage, is area safe for use? (call & email Clerk.)	OK/	Yes / No
Bike	Check all paint work for scuffs and small scratches, repair using the touch up paint provided.	/ Issue	No
	Ensure the equipment is still secure in the ground fixing.	OK/	Yes / No
	Ensure there is a safety sign attached.	OK /	Yes / No
A B	Ensure there is an equipment sign attached.	OK/	Yes / No
	A. Check all the handle and pedal bolts are tightened properly, If the foot rest bolts require tightening, tighten them here using a 17mm socket	OK /	Yes / No
	B. Ensure the resistance bearings are still giving some resistance and working by turning the handles and pedals	OK/	Yes / No

	Any damage to equipment (please send photo)	/ Issue	/ No
Double Air Walker	If damage, is area safe for use? (call & email Clerk.)	OK P	Yes / No
	Check all paint work for scuffs and small scratches, repair using the touch up paint provided.	/ Issue	No
	Ensure the equipment is still secure in the ground fixing.	OK/	Yes / No
	Ensure there is a safety sign attached.	ок 🔎	Yes / No
	Ensure there is an equipment sign attached.	ок 🔼	Yes / No
	A. Check all the foot rest bolts are tightened properly, If the foot rest bolts require tightening, tighten them here using a 17mm socket (2 bolts per foot rest)	ок/	Yes / No
	B. If Impact Attenuating Edges require tightening, tighten here using the T30 tool provided in the Maintenance Kit (2 bolts per impact attenuating edge)	OK /	Yes / No
	C. Ensure the limiters are still intact and working.	OK	Yes / No
	Any damage to equipment (please send photo)	OK/	Yes / No
	If damage, is area safe for use? (call & email Clerk.)	OK / 1550	Yes / No
	Check all paint work for scuffs and small scratches, repair using the touch up paint provided.	/ Issue	No No
Double Cross Country Skier	Ensure the equipment is still secure in the ground fixing.	OK/	Yes / No
1 11 1	Ensure there is a safety sign attached.	OK /	Yes / No
c	Ensure there is an equipment sign attached.	OK/	Yes / No
B	A. Check all the foot rest bolts are tightened properly, If the foot rest bolts require tightening, tighten them here using a 17mm socket (2 bolts per foot rest)	ОК	Yes / No
	B. If Impact Attenuating Edges require tightening, tighten here using the T30 tool provided in the Maintenance Kit (2 bolts per impact attenuating edge)	ок/	Yes / No
	C. Ensure the limiters are still intact and working.	OK /	Yes / No
	D. Check all the link bar bolts are tightened properly, If the link bar bolts require tightening, tighten them here using a 17mm socket	ОК	Yes / No
	Any damage to equipment (please send photo)	OK/	Yes / No
	If damage, is area safe for use? (call & email Clerk.)	OK/	Yes / No
Elliptical Cross Trainer	Check all paint work for scuffs and small scratches, repair using the touch up paint provided.	/ Issue	No No
1 1	Ensure the equipment is still secure in the ground fixing.	OK/	Yes / No
C C A A	Ensure there is a safety sign attached.	OK	Yes / No
	Ensure there is an equipment sign attached.	OK/	Yes / No
	A. Check all the foot rest bolts are tightened properly, If the foot rest bolts require tightening, tighten them here using a 17mm socket (2 bolts per foot rest)	OK/	Yes / No
c	B. Ensure impact attenuating edges are intact. (2 in total)	OK /	Yes / No
	C. Check all the link bar bolts are tightened properly, If the link bar bolts require tightening, tighten them here using a 17mm socket	ок /	Yes / No

Leg Lift and Chin-up Station	P Any damage to equipment (please send photo)	OK/	Yes / No
Station	If damage, is area safe for use? (call & email Clerk.)	OK/	Yes / No
1	Check all paint work for scuffs and small scratches, repair using the touch up paint provided.	OK/	Yes / No
	Ensure the equipment is still secure in the ground fixing.	OK / I	Yes / No
	Ensure there is a safety sign attached.	OK/	Yes / No
	Ensure there is an equipment sign attached.	OK/	Yes / No
Leg Press	Any damage to equipment (please send photo)	OK/	Yes / No
Leg Fless	If damage, is area safe for use? (call & email Clerk.)	OK/	Yes / No
	Check all paint work for scuffs and small scratches, repair using the touch up paint provided.	OK/	Yes / No
	Ensure the equipment is still secure in the ground fixing.	OK/	Yes / No
	Ensure there is a safety sign attached.	OK/	Yes / No
	Ensure there is an equipment sign attached.	OK/	Yes / No
		OK/	Yes / No
	Check the height of the seat is not less than 350mm when laden at approx. 70kg. veight not available, best guess using body weight.	/ Issue	/ No
	split starting to show on zip wire seat rubber - Split t increased in size, will monitor closely		
Checked By:	Kevin Barnes	Date:	26/02/23

- All previous comment extant from last week's inspection
- Wooden large bench Highly recommend that this is condemned, there are splits in the bench and nails are showing, as per emailed pictures. -what is the route to condemning an item?
- Children Rockers both rockers handle and foot rests are warn. Nothing to excessive at the moment but will need replacing at some point. Yellow horse rocker -again recommend this is also condemned. The handle grip has Sharp edges to one of the hand grips. Please see photos with the email.