

Donhead St Andrew Parish Council

Interim Meeting - Friday 18th September 2015:

at 6:45pm o/s Glenburn, Barkers Hill, Semley, SP7 9BH

at approx. 7:10pm o/s Henrietta Barnett Field Centre, SP7 9EB

2015.09.01 **Apologies received and those present:**

Present: M. Cullimore (Chairman), S Luck (Vice-Chairman), J. Barton (from 7:15pm), Lady Cooper, Mrs F. Smart, M. York.

Also in attendance: 2 residents (applicants for Glenburn (from 6:45pm to 6:55pm); Mrs S. Harry (Clerk).

Apologies received and accepted: W.Cnllr Deane; Miss B Miller, Ms P. Maxwell-Arnot, S. Pyke.

2015.09.02 **Declarations of Interest - none.**

2015.09.03 **Public Participation and Presentations - Questions and/or statements**

- a. The applicants for Glenburn gave a brief description of the works, including the incorporation of larger, deeper piling, and the necessity for demolition before answering questions from the P.Cnllrs.

- b. No statement was available from the applicant of 15/08602/TCA.

2015.09.04 **Applications**

15/08045/FUL - Glenburn, Barkers Hill, Semley, SP7 9BH - replacement bungalow

The P.Cnllrs briefly discussed the application before resolving to support the application.

Proposed SL / seconded Lady C / unanimous

The meeting was adjourned at 6.55pm before recommencing at 7:15pm at the Field Centre.

15/08602/TCA - St Andrew's Church, St Bartholomew's St, SP7 9EB - Hazel and Yew - cut back lateral branches to boundary wall to clear Henrietta Barnett Field Centre

P.Cnllrs discussed this application at some length before resolving to support the application but requesting that the works on the Yew tree be balanced on the opposite side of the tree to maintain the aesthetic appearance; it was felt that the hazel could be coppiced.

Proposed SL / seconded Mrs FS / unanimous

There being no other business, the meeting finished at 7:23pm.

2015.09.05 **Date and time of next meeting**

Full meeting - Friday 18th September 2015; 7:30pm in the Henrietta Barnett Field Centre

Planning/consultation meetings as advised