

| | | | | | |
|---|-----|--|--|--------------------------------|--|
| Injury caused by bonfire Inadequate space Collapse Excessive sparks | All | Property damage/fire Burns | <ul style="list-style-type: none"> • Separation will be maintained between bonfire and spectators. • The bonfire will be built away from the display area and a minimum of 20m from any building, road etc. • Undergrowth and rubbish will be cleared away. • The bonfire will be kept to a manageable size. • No hazardous materials or refuse will be used. • The bonfire will be checked prior to lighting. • The bonfire will be supervised at all times. | Y Y Y Y Y Y | |
| Adverse weather | All | Property damage/fire Burns Cuts / abrasions, muscular skeletal and other physical injuries | <ul style="list-style-type: none"> • There will be Increased separation from the fireworks and bonfire, and the safety line and barriers will be relocated. • If safe separation cannot be ensured, the display will be delayed or cancelled. | Y Y | |
| Fire Ignition of premises Small fires | All | Burns Property damage / loss | <ul style="list-style-type: none"> • There will be adequate separation from buildings. • There will be adequate fire extinguishers. • The extinguishers will be positioned in appropriate places to allow quick access. • There will be an agreed emergency procedure in place and adequate marshals to control the crowd. • The Police and Fire Brigade will have been informed. | Y Y Y Y | |

| | | | | | |
|---|-----|---|--|--|--|
| <p>Crowd Control Crush injuries, panic, distress Separation of children from parents</p> <p>Overcrowding Inadequate space / exits Blocked exit routes</p> | All | <p>Fire evacuation hindered/unsafe access/egress</p> <p>Cuts / abrasions, muscular skeletal and other physical injuries</p> <p>Slips, trips and falls</p> | <ul style="list-style-type: none"> • The number of attendees will be kept to a safe maximum. • There will be designated entrance and exit points. • There will be an adequate number of supervising personnel. • Entrances and exits will be well lit and kept free from obstructions. • Spectators will not be allowed into the display area. • There will be barriers and adequate supervision to prevent unauthorised use and control access and egress | <p>Y</p> <p>Y</p> <p>Y</p> <p>Y</p> <p>Y</p> | |
| <p>Insufficient or unsuitable first aid cover</p> | All | <p>Accident or injury, delayed assistance in emergency</p> | <ul style="list-style-type: none"> • There will be first aid equipment on site which will be close to use. • A designated qualified first aider will be available. • Mobile phones will be available. | <p>Y</p> <p>Y</p> <p>Y</p> | |
| <p>Inadequate welfare facilities</p> | All | | <ul style="list-style-type: none"> • Toilets available in the village hall | <p>Y</p> | |
| <p>Vehicular access</p> <p>Ineffective pedestrian vehicle segregation</p> | All | <p>Cuts / abrasions, muscular skeletal and other physical injuries Broken bones</p> <p>Significant head / multiple injuries</p> | <ul style="list-style-type: none"> • Pedestrian walkways will be maintained. • There will be easy emergency service access. | <p>Y</p> <p>Y</p> | |
| <p>Surface of field / internal areas Slips, Trips and Falls</p> | All | <p>Cuts / abrasions, muscular skeletal and other physical injuries</p> | <ul style="list-style-type: none"> • Arrangements will be in place for clearing up and safely disposing of any litter left after the event. • There will be adequate external lighting. | <p>Y</p> <p>Y</p> | |

